TRANSLATION

29256P JP-WO

Japanese utility model application laid-open print no. 40-26290 dated September 07, 1965

Utility model application no. 38-58589 dated August 03, 1963

Applicant: Inoue Gomu Kogyo K.K., Nagoya-shi (JP)

Title: Striplike body which aluminum foil having an embossed pattern is coated with a transparent plastic layer

Detailed comment on the improvement:

. . . .

This kind of conventional coating of a body comprises the following disadvantage: A sufficient adhesive bonding between the aluminum foil and the transparent or dyed semitransparent plastic cannot be achieved, so that a pretreatment, applying of an adhesive, is necessary prior to the coating. By means of this pretreatment, it is not possible to achieve a transparent product.

In the present improvement, the aluminum foil comprises a structure in relief to remove this disadvantage, and if it is necessary, the foil is dyed by means of printing a color or a pigment and it is incorporated between the pressed out plastic by means of which the aluminum foil and the transparent or dyed semitransparent plastic are completely and easily adhered to each other without the pretreatment so that the product receives a beautiful look.

浮き出し模様を施したアルミ 名を透明合成樹 脂にて被覆した帯状体

実. 願 昭 38-58589

出顾日昭38.8.3

考 案 者 小島雪正

愛知県知多郡知多町新舞子北畑 102

出 願 人 井上護謨工業株式会社

名古屋市熱田区千年町船方38

代 丧 者 井上愛一

代 理 人 弁理士 小川淵次郎

図面の簡単な説明

図面は本考案の一部を切断した斜視図である。 考案の詳細な説明

本考案は浮き出し模様を着けたアルミ第1を通 明又は半透明合成樹脂2で被覆した帯状体であっ て、机、テーブル等のコーナー、自動車、盟 加車等の車体内の一部或は建築物の天井、豊田等 の一部に整着する装飾品に係るものである。

在来のこの種被覆体はアルミ箔と透明又は着色

半透明合成樹脂との接着性が悪い為めに被覆前に 前処理として接着剤を塗布する必要があり、従つ て製品が不透明となる欠点がある。

本等業はこの欠陥を除きアルミ 答と透明又は半 透明着色合成樹脂とが上配の加き前処理を施すた となく、完全且つ容易に接着し、且つ美観を発揮 し得るようにアルミ格にエンボス (シボ)の型付けによる浮き彫りを脱け、必要があれば之に染料 又は顔料にて印刷を施し、接路を押し出された合 成樹脂間に収納するものである。

本考案は以上の如き構成によりエンポスによる 図形或社模機は合成樹脂の薄膜を通してやわらめ い反射光線を受けるので家具類或は室内の袋飾 とて高端を廻きを添える作用があり、茶にアルミ 箱の凹凸部に合成樹脂が附着するので両者が容易 に剝離し難いので、アルミ結の美しい地色或は之 に粉離した染料又は顔料を永く変色せしめない等 微がある。

実用新案登録請求の範囲

エンボスによる図形、模様等を施したアルミ籍 1を透明又は半透明の合成樹脂膜2を以て被覆した帯状体。

